

MATERIAL SAFETY DATA SHEET

MSDS DATE: 09/07/07

FILE NO.: ALX-610-043

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: p-Nitroaniline
SYNONYMS: 4-Nitroaniline; pNA
PRODUCT CODES: ALX-610-043

MANUFACTURER: ALEXIS Corporation
ADDRESS: Industriestrasse 17
CH-4415 Lausen
Switzerland

TELEPHONE: +41 61 926 8989
FAX PHONE: +41 61 926 8979
WEBSITE: www.axxora.com

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Formula:</u>	<u>CAS #</u>	<u>EC #</u>	<u>Annex I Index #</u>
C ₆ H ₆ N ₂ O ₂	100-01-6	202-810-1	N/A

SECTION 3: HAZARDS IDENTIFICATION

ACUTE HEALTH EFFECTS: **TOXIC by inhalation, ingestion, or skin absorption. HARMFUL to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Danger of cumulative effects.**

SECTION 4: FIRST AID MEASURES

EYES: Rinse immediately with plenty of water for 15 minutes. Check for and remove any contact lenses. Seek medical attention if symptoms appear.

SKIN: Wash immediately with water for 15 minutes. Remove contaminated clothing. Seek medical attention if symptoms appear.

INGESTION: Rinse mouth with water. Do not induce vomiting. Seek medical attention if symptoms appear. Provide MSDS and label information if possible.

INHALATION: Take into fresh air. If breathing is difficult, administer oxygen. Get medical attention.

SECTION 5: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Water spray, water foam, polymer foam, carbon dioxide, dry chemicals.

SPECIAL FIRE FIGHTING PROCEDURES: In case of fire, watch out for the formation of toxic smoke and gases. Wear self-contained respiration equipment. Prevent contact with skin and eyes.

UNUSUAL FIRE AND EXPLOSION HAZARDS: May be combustible at high temperatures. May emit toxic fumes under fire conditions.

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Evacuate area. Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves.

ACCIDENTAL RELEASE MEASURES: Avoid formation of dust, sweep up spill and place in sealed container and hold for disposal. Ventilate area and wash spill site after material pickup is complete.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Keep locked up. Keep away from heat, sources of ignition and incompatibles such as oxidizing agents. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Avoid contact with skin and eyes; do not breathe dust. Avoid prolonged or repeated exposure. Immediately remove all contaminated clothing. Wash hands before breaks and after work. Avoid eating, drinking and storage of food in the work room. Store tightly sealed at +20°C. Protect from moisture.

MATERIAL SAFETY DATA SHEET

MSDS DATE: 09/07/07

FILE NO.: ALX-610-043

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Use only in chemical fume hood. Safety shower and eye bath.
VENTILATION: Government approved respirator.
EYE PROTECTION: Chemical safety goggles.
SKIN PROTECTION: Compatible gloves, protective coat or clothing.
SECTION 8 NOTES: Wash thoroughly after handling. Wash contaminated clothing before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Off-white to yellow powder.
ODOR: N/A
pH AS SUPPLIED: N/A
BOILING POINT: N/A
MELTING POINT: N/A
FREEZING POINT: N/A
VAPOR PRESSURE (mmHg): N/A
VAPOR DENSITY (AIR = 1): N/A
SPECIFIC GRAVITY (H₂O = 1): N/A
EVAPORATION RATE: N/A
BASIS (=1): N/A
SOLUBILITY: Soluble in 100% ethanol.
MOLECULAR WEIGHT: 138.1

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable. Avoid strong oxidizing agents.
HAZARDOUS DECOMPOSITION: Carbon monoxide, carbon dioxide, nitrogen oxides.
HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

RTECS #: BY7000000

TOXICOLOGICAL INFORMATION: Toxic by inhalation, in contact with skin and if swallowed. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Danger of cumulative effects. Compound is readily absorbed by inhalation, ingestion, or skin absorption. Strong methemoglobin former. Cyanosis is the first manifestation of toxicity. Symptoms may include vomiting, diarrhea, ataxia, nausea, drowsiness, coughing, chest pains, unconsciousness, headache. Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer. Exposure to and/or consumption of alcohol may increase toxic effects. Target organs are liver, lungs, heart or blood. Overexposure may cause reproductive disorders based on tests with laboratory animals. To the best of our knowledge, the toxicological properties have not been thoroughly investigated.

LD50: Rat [Oral]: 750 mg/kg
Mouse [Oral]: 810 mg/kg
Mouse [Intraperitoneal]: 250 mg/kg
Mouse [Intramuscular]: 800 mg/kg
Guinea Pig [Oral]: 450 mg/kg
Bird [Oral]: 75 mg/kg

CHRONIC EXPOSURE: Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

CHRONIC EXPOSURE-CARCINOGEN: Equivocal tumorigenic agent by RTECS criteria.

CHRONIC EXPOSURE-MUTAGEN: Not available.

CHRONIC EXPOSURE-TERATOGEN: Not available.

MATERIAL SAFETY DATA SHEET

MSDS DATE: 09/07/07

FILE NO.: ALX-610-043

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

SECTION 14: TRANSPORT INFORMATION

INTERNATIONAL TRANSPORT REGULATIONS:

LAND – ROAD/RAILWAY: ADR/RID: Not available.
SEA: IMDG: Not available.
AIR: IATA-DGR: Not available.
SPECIAL PROVISIONS FOR TRANSPORT: N/A

SECTION 15: REGULATORY INFORMATION

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES:

SYMBOL OF DANGER: T, toxic
N, dangerous to the environment

R-PHRASES: R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.
R33 - Danger of cumulative effects.
R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-PHRASES: S7 - Keep container tightly closed.
S22 - Do not breathe dust.
S28 - After contact with skin, wash immediately with plenty of soap-suds.
S36/37/39 - Wear suitable protective clothing, gloves and eye/face protection.
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S61 - Avoid release to the environment. Refer to special instructions/safety data sheets.

U.S. FEDERAL REGULATIONS: Not available.

HCS CLASSIFICATION: Not available.

WHMIS (CANADA): Not available.

SECTION 16: OTHER INFORMATION

DISCLAIMER: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Alexis Corporation shall not be held liable for any damage resulting from handling or from contact with the above product.

For R&D use only. Not for drug, household or other uses.